

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3313	713/168,156,170,200,201,202.ccls.	USPAT	OR	OFF	2004/11/10 15:49
L2	0	"l21" and (plugin or pluggable) with client with server with (platform adj independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:51
L3	0	"l21" and (plugin or pluggable) with (platform adj independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:51
L4	0	l1 and (plugin or pluggable) with (platform adj independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:51
L5	200	l1 and (plugin or pluggable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:51
L6	112	l1 and (plugin or pluggable) and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:52
L7	109	l6 and (user or client) with (profile or id or password or information or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:52
L8	53	l7 and (java or applet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:53
L9	48	l8 and authenticat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:53

L10	42	I9 and @ad<"20010401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:54
S3	42	(java or applet or (authenticat\$ adj library)) with (client or user) with (retriev\$5 or access\$5) with (encrypt\$5 or enciph\$5 or encod\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:13
S5	19	(java or applet or (authenticat\$ adj library)) with (client or user) with (retriev\$5 or access\$5) with (encrypt\$5 or enciph\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:19
S6	685	client with (encrypt\$4 or enciph\$5) with user\$1 with (profile or password or id or information or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:21
S7	751	client with (encrypt\$4 or enciph\$5) with user\$1 with (profile or password or id or information or data or login or authenticat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:21
S8	333	S7 and @ad<"20010401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:22
S9	178	S8 and (platform with independent or java or applet or library or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:23
S10	110	S9 and server with authenticat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:23

S11	89	S8 and (platform with independent or java or applet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:09
S12	6	client adj (encrypt\$4 or enciph\$5) with (user adj (profile or passord or id or information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:21
S13	29	gateway with network adj manager\$1 with (couple or connect\$3 or join\$5 or access\$4 or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:36
S14	9	S13 and @ad<"20000401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:23
S15	0	gateway with network adj manager\$1 with (couple or connect\$3 or join\$5 or access\$4 or interface) with authentication with (module or library or process\$4) with (plug\$in or pluggable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:25
S16	0	gateway with manager\$1 with (couple or connect\$3 or join\$5 or access\$4 or interface) with authentication with (module or library or process\$4) with (plug\$in or pluggable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:27
S17	0	gateway with (couple or connect\$3 or join\$5 or access\$4 or interface) with authentication with (module or library or process\$4) with (plug\$in or pluggable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:27
S18	0	gateway with (couple or connect\$3 or join\$5 or access\$4 or interface) with authentication with (plug\$in or pluggable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:28

S19	4	gateway with authentication with (plug\$in or pluggable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:44
S20	0	gateway with network adj manager\$1 with (couple or connect\$3 or join\$5 or access\$4 or interface) with (applet or java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:36
S21	0	gateway with authentication with (java or applet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:37
S22	65	gateway same authentication same (java or applet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:37
S23	40	S22 and @ad<"20010401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:44
S24	37	gateway same authentication same (plug\$in or pluggable or applet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:44
S25	12	S24 and @ad<"20010401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 18:23
S26	3	"6725425".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 18:23
S27	1	"6725425".pn.	USPAT	OR	OFF	2004/11/10 12:18
S28	1	"6725425".pn. and client with password	USPAT	OR	OFF	2004/11/10 12:18
S29	1	"5586260".pn.	USPAT	OR	OFF	2004/11/10 13:56

S30	1	"5586260".pn.	USPAT	OR	OFF	2004/11/10 13:56
S31	0	"5586260".pn. and Internet	USPAT	OR	OFF	2004/11/10 13:56
S32	1	"5586260".pn. and network	USPAT	OR	OFF	2004/11/10 14:01
S33	1	"5586260".pn. and client	USPAT	OR	OFF	2004/11/10 14:15
S34	1	"6301661".pn. and applet\$1	USPAT	OR	OFF	2004/11/10 15:06
S35	4298	login	USPAT	OR	OFF	2004/11/10 15:06
S37	1	"6301661".pn. and login	USPAT	OR	OFF	2004/11/10 15:10
S38	0	"6301661".pn. and login near3 applet	USPAT	OR	OFF	2004/11/10 15:10
S40	1	"6301661".pn. and login near10 applet	USPAT	OR	OFF	2004/11/10 15:10